





Flooring / Interior Decoration

UNIFLOOR E / UNIFLOOR S	92
GROOVER	93
Welding rods	31

Hot-Air Hand Tools

TRIAC ST	12 – 15
TRIAC AT	13 – 15
ELECTRON ST	16 / 17
HOT JET S	18 / 19
SONORA S1	21
General accessories	30



UNIFLOOR E / S: A jack of all trades.

With the UNIFLOOR E you can weld floor coverings made of PVC-P, PE, linoleum and modified thermoplastics without any reconfiguration, up to 7.5 meters per minute.



UNIFLOOR E, the reliable partner for welding floor coverings.

Hot-air welder

UNIFLOOR E / UNIFLOOR S









- Reproducible results thanks to digital display of set and actual values
- Electronically controlled heating
- Steplessly controlled air flow (only UNIFLOOR E)
- All floor coverings welded without reconfiguration
- Automatic start
- Integrated wall switch

Technical Data

Voltage	V~	120 / 230
Power	W	2300
Temperature	°C	80 – 620
Speed	m/min	1.0 – 7.5
Air flow range	%	50 – 100
Size (L × W × H)	mm	420 × 270 × 215
Weight	kg	11.0 (with 3 m cable)
Conformity marking		CE
Approval mark		Ⓢ
Certification scheme		CCA
Protection class I		⊕

Accessories UNIFLOOR E / UNIFLOOR S

	115.054 Welding rod de-reeler
	115.057 Trolley attachment
	114.224 Floor welding nozzle, optimized for PVC material
	115.342 Floor welding nozzle, for PVC + PUR material
	103.394 Floor welding nozzle air-knife, optimized for PUR material
	115.216 Air flap, for linoleum welding rod
	117.235 2/3 air flap, optimized for PUR material and linoleum welding rod
	126.448 Storage case 605 x 486 x 312 mm plastic, green (included with purchase)
	103.604 Heating element, 230 V / 2100 W
	103.602 Heating element, 120 V / 1800 W

Article No.:

138.493	UNIFLOOR E 230 V including rod de-reeler, squeezed nozzle (PVC and PUR), with Euro plug, storage case
115.345	UNIFLOOR E 230 V, squeezed nozzle (PVC and PUR), with Euro plug, storage case
138.494	UNIFLOOR S 230 V, including rod de-reeler, squeezed nozzle (PVC and PUR), with Euro plug, storage case
115.032	UNIFLOOR S 230 V, squeezed nozzle (PVC and PUR), with Euro plug, storage case
139.217	UNIFLOOR E 230 V including rod de-reeler, Air-Knife nozzle, 2/3 air flap (PUR), with Euro plug, storage case
115.024	UNIFLOOR E 120 V, squeezed nozzle (PVC and PUR), with Euro plug, storage case

GROOVER: Dust-free milling.

The GROOVER grooving machine cuts welding grooves into thick, tough floor coverings made of PVC-P, PE and linoleum. The tool glides on three rollers and cuts a uniform grooving depth, even at high speeds.



Strong drive suitable for PVC, PUR and linoleum materials.

Grooving machine GROOVER



- Cuts grooves into of all types of floor coverings
- Extremely high, two stage cutting speeds
- Adjustable guide roller for tracking accuracy
- Reduced dust particles when used with dust bag
- Cutting close to the edge possible

Technical Data

Voltage	V~	120 / 230
Power	W	350 / 700 (2 levels)
Speed	min-1	Level 1: 14500 (350 W) Level 2: 18500 (700 W)
Groove depth adjustment	mm	0 – 4
Size (L × W × H)	mm	240 × 205 × 255
Weight	kg	6.7 (with 3 m cable)
Conformity marking		CE
Approval mark		Ⓢ
Certification scheme		CCA
Protection class II		Ⓜ

Accessories GROOVER

	102.401 Ø 110 × 3.5 mm, tungsten carbide-tipped blade, trapezium profile
	102.402 Ø 110 × 4 mm, tungsten carbide-tipped blade, round profile
	102.404 Ø 110 × 2.5 mm, tungsten carbide-tipped blade, round profile
	102.403 Ø 110 × 2.8 mm, tungsten carbide-tipped blade, round profile
	102.405 Ø 110 × 3.5 mm, tungsten carbide-tipped blade, round profile
	102.406 Ø 110 × 3.5 mm, diamond cutting blade, semi-round profile
	126.448 Storage case (included with purchase)

Article No.:

108.393	GROOVER 230 V, tungsten carbide tipped blade Ø 110 x 3.5 mm, trapezium profile, with Euro plug, storage case
111.032	GROOVER 230 V, tungsten carbide tipped blade Ø 110 x 3.5 mm, round profile, with Euro plug, storage case
108.397	GROOVER 120 V, tungsten carbide tipped blade Ø 110 x 3.5 mm, trapezium profile, with UK plug yellow, storage case